

General

Minimum order quantity

None

Warranty

All Tote Trays carry a Limited Lifetime warranty

Return policy

Order cancellation permitted before product ships subject to \$75-100 re-stocking fee per product

Materials

Frames are constructed from 16-gauge 1" (25.4mm) square welded steel tubing with an epoxy powder coated finish.

The top panel is constructed from 18 gauge formed steel; epoxy powder coated sheets are securely anchored to the metal frames with machine screw fasteners.

4-inch heavy-duty rubber tire casters (4 locking) permitting ease of movement throughout evolving educational environments.

The "shatterproof" tote tray structural Runners are molded from Acrylonitrile Butadiene Styrene (ABS) Plastic. These runners are secured to the steel frames with 1/4" tap screws.

All cart solutions incorporate the patented Glide & Tilt Tote Tray Runner System.

Unit is provided with one full (26") depth 18ga. coated metal divider shelf that can be used to alternate the depths of the rear storage section to fit assorted sizes of larger and or tall storage options by gliding within the three lower Glide & Tilt® structural runners. Unit is provided with one short (16") depth 18ga. coated metal shelf that can be positioned within any of the three lower Glide & Tilt® structural runners.

Dimensions

W 44¾ x H 44 x D 27¼"


Tray Size Options

Slim Line: single 3", double 6", triple 9" and quad 12" depth.


W 12 ½ x L 16 ¾"



Dimensions



Front elevation



Side elevation

Frame Finishes


Standard



White (WH)

Trays

Crystal trays (glass-like transparency)



Clear (CL)



Neon Green (NG)



Neon Orange (NO)



Tinted Blue (TB)



Tinted Purple (TP)

Contact info

Inquiries

hello@muzo-works.com

Purchase orders

sales@muzo-works.com

360 Kiwanis Blvd,
West Hazleton, PA 18202

(800) 670-2578

muzo-works.com